



The world's leading professional association
for the advancement of technology

[Home](#) | [Shop](#) | [Join](#) | [myIEEE](#) | [Contact](#) | [Sitemap](#) | [IEEE Xplore](#)

Search

☒ IEEE (Google) ☐ IEEE (Ultraseek)

[About Us](#) | [Membership](#) | [Publications](#) | [Conferences](#) | [Standards](#) | [Careers](#) | [Education](#) | [Volunteers](#) | [Societies](#) | [Geographic Activities](#)

Search for documents that

and

and

on or after

and before

dated ☒ Anytime

☐ in the last week

☐

and show

☐ Show individual word scores



[Help](#)

[Simple](#)

Results for: +chamfer, +mask

Document count: +chamfer (102) +mask (8780)

about 11 results found, sorted by relevance

[score using date](#)

[hide summaries](#)

[group by location](#)

1-10

A Bayesian, Exemplar-Based Approach to Hierarchical Shape Matching78% 

... 2004. ... 2] H. Barrow et al., "Parametric Correspondence and **Chamfer** Matching: Two New Techniques for Image Matching," Proc. Int'l ... 5] G. Borgefors, "Hierarchical **Chamfer** Matching: A Parametric Edge Matching Algorithm," IEEE Trans. Pattern Analysis ...

14 Aug 08

[Find Similar](#)[Highlight](#)

IEEE Computer Society <http://csdl2.computer.org/persagen/DLabsToc.jsp?resourcePath=/dl/trans/tp/&toc=comp/trans/tp/2007/08/i8toc.xml&DOI=10.1109/TPAMI.2007.1062> - 36.7KB

A New Method to Compute the Distortion Vector Field from Two Images76% 

... and the distortion vector field simultaneously. Pixels are characterized by the displacement from the nearest feature element (surface for grey-level images). $3 \times 3 \times 3$ **chamfer masks** are used for grey-level images. The relative weights of spatial versus grey-level displacements are considered. Experimental results are analyzed for both ...

01 Aug 02

[Find Similar](#)[Highlight](#)

IEEE Computer Society <http://csdl2.computer.org/persagen/DLabsToc.jsp?resourcePath=/dl/proceedings/&toc=comp/proceedings/icpr/2002/1695/01/1695toc.xml&DOI=10.1109/ICPR.2002.1044687> - 21.8KB

The Position-Orientation Masking Approach to Parametric Search for Template Matching72% 

... 1] H. G. Barrow, J. M. Tenenbaum, R. C. Bolles, and H. C. Wolf, "Parametric correspondence and **chamfer** matching: Two new techniques for image matching," in Proc. 5th Int. Joint Conf. Artif. Intell., Cambridge, MA, 1977, pp. 659-663. ...

01 Jul 94

[Find Similar](#)[Highlight](#)

IEEE Computer Society <http://csdl2.computer.org/persagen/DLabsToc.jsp?resourcePath=/dl/trans/tp/&toc=comp/trans/tp/1994/07/i7toc.xml&DOI=10.1109/34.297956> - 28.4KB

A Linear Time Algorithm for Computing Exact Euclidean Distance Transforms of Binary Images ..70% 

... partial Voronoi diagram construction, can be used for computing the DT for a wide class of distance functions, including the L_p and **chamfer** metrics. At each dimension level, the DT is computed by constructing the intersection of the Voronoi diagram whose sites are the feature voxels ...

01 Feb 03

[Find Similar](#)[Highlight](#)

IEEE Computer Society <http://csdl2.computer.org/persagen/DLabsToc.jsp?resourcePath=/dl/trans/tp/&toc=comp/trans/tp/2003/02/i2toc.xml&DOI=10.1109/TPAMI.2003.1177156> - 51.2KB

Eye mask and TDP proposal to replace jitter bathtub54% 

... and SONET OC-192 - Rectangular **mask** - 0.2 UI long - 50% of eye height high - **Mask** is allowed to float in ... http://grouper.ieee.org/groups/802/3/ae/public/jan02/dawe_1_0102.pdf - 176.4KB

25 Jan 02

[Find Similar](#)[Highlight](#)**Optimal Separable Algorithms to Compute the Reverse Euclidean Distance Transformation and ..**53% 

... and E. Thiel, "Optimizing 3D **Chamfer Masks** with Norm Constraints," Proc ... and G. Malandain, "3-D **Chamfer** Distances and Norms in Anisotropic ...

14 Aug 08

[Find Similar](#)[Highlight](#)

IEEE Computer Society <http://csdl2.computer.org/persagen/DLabsToc.jsp?resourcePath=/dl/trans/tp/&toc=comp/trans/tp/2007/03/i3toc.xml&DOI=10.1109/TPAMI.2007.54> - 41.5KB

01646330

Introduction The advancement and application of any manufacturing technique require two research issues to be resolved. First, the technique must be understood. That is, there must exist mathematical models of the ...

<http://csdl2.computer.org/comp/mags/co/1977/12/01646330.pdf> - 11259.8KB

48%

21 Sep 07

[Find Similar](#)[Highlight](#)**[802.3ae_Serial] From serial PMD call 18 Dec: Tx and Rx conformance test**

... this we could make the **mask** less high. The area under the **mask** would be similar to what ... this was proposed, where the **mask** was lengthened at the 50% points, the **mask** height remained, but the four ...

http://grouper.ieee.org/groups/802/3/10G_study/public/serial_adhoc/email/msg00521.html - 9.5KB

48%

02 Jun 03

[Find Similar](#)[Highlight](#)**IEEE P802.3ae/D4.0 Comment Resolution**

P802.3ae Draft 4.0 Comments C100 SC PL # 148 Comment Type E As per recommendation of IEEE editor: equation numbering should include clause number. For example, in Clause 44, equation (1) should be (44-1). ...

http://grouper.ieee.org/groups/802/3/ae/comments/d4.0/D4_0_comments.pdf - 455.5KB

40%

22 Feb 02

[Find Similar](#)[Highlight](#)**untitled**

xiii TABLE OF CONTENTS MA1-L1: FEATURE EXTRACTION AND SEGMENTATION I MA1-L1.1: KEY FRAME EXTRACTION IN 3D VIDEO BY ...I RATE-DISTORTION OPTIMIZATION Jianfeng Xu, Toshihiko Yamasaki, Kiyoharu Aizawa, University of Tokyo ...

<http://csdl2.computer.org/comp/proceedings/icme/2006/0366/00/04036520.pdf> - 199.2KB

30%

12 Nov 07

[Find Similar](#)[Highlight](#)
[score using date](#) [hide summaries](#) [group by location](#)

1-10

[IEEE Home](#) | [Sitemap](#) | [Search](#) | [Privacy & Security](#) | [Terms & Conditions](#)

© Copyright 2006 IEEE - All Rights Reserved.

Use of this website signifies your agreement to the Terms of Use.

For questions or comments, please contact the [IEEE Webmaster](#).

